

## CONDITIONS

This proposal is valid for a period of thirty (30) days. Rates are valid for the project period or 6 months maximum unless special agreement.

Documents sent by fax or e-mail are recognized as being official between the two parties.

CEME may terminate the agreement at any time for any reason. Termination of the contract does not relieve the Client of the sums due on the grounds arranged before the termination.

#### CUSTOMER RESPONSIBILITY RELATIVE TO SOIL QUALITY

- The CEME admissible soils contain the following petroleum-related contaminants:
  - Light hydrocarbons (gasoline, diesel, aviation fuel (aviation gasoline, jet fuel A and B, turbo fuel, kerosene, heating oil No. 1), heating oil (domestic or No. 2)),
  - Benzene, Toluene, Ethyl benzene, and Xylenes (BTEX)
  - The polycyclic aromatic hydrocarbons (PAH) and,
  - Volatile organic compounds (VOC)
- The concentration of soils must correspond to the classification declared during the application and analysis of the file
- Soils should not have more than 10% debris and have a solid and non-muddy consistency. They must be free of water and hydrocarbons in free phase.
- The quality of the soils characterized will be validated visually during unloading as well as through chemical analyzes taken from the soils for the first 200 metric ton (mt) and at each additional 400 mt.
- The client will be released from his responsibility once all the analytical results have been obtained and will be in accordance with the declaration of the applicant and the conditions mentioned above.
- In the case where the soils covered by this contract prove non-compliant, the client will be notified, access to the site will be suspended, analyzes will be performed again to confirm results. If the results are still non-compliant, the soils will be reclassified if the site is authorized to receive it. Alternatively, arrangements will have to be made to transport the soil to an authorized site without delay (Max. 72 hrs). All charges must be borne by the client (see additional charges).

#### CUSTOMER RESPONSIBILITY RELATIVE TO GRANULAR RESIDUAL WASTE (MRG) QUALITY

- Authorized granular waste should not contain refractory brick, asphalt shingles, roofing gravel coated with bitumen, asbestos, lead paint, reinforcement exceeding the dimension of the residual granular material, hazardous material or be mixed with soils to be admitted.
- A truckload containing ineligible materials will be refused and returned to the generator or screened or taken to an authorized site, all at customer cost.



## ADDITIONAL FEES WILL BE CHARGED FOR:

- \$50 minimum fee for an individual load and \$500 minimum fee for weekly invoices.
- A 300\$ analyses fee (PH, PAH, Metals) will be charged when 200 mt or less of product is received. An extra 50\$ will be charged for BTEX analyses if required;
- The same analyses fees will be charged when delivery is interrupted for a period of more than 5 working days and soil has not reached the 200 or 400 tm ratio;
- The delivery of amendment for muddy soil (\$ 15 / mt soil delivered in bulk);
- Costs incurred by the CEME for non-compliant soils: loading, transportation, disposal, sampling and analysis (depending on concentrations, contaminants and disposal site authorized) will be charged to the client;
- Segregation and disposal of excess of 10% waste tolerated in soil (\$ 95 / mt);
- Screening of soil in granular waste not tolerated (\$15/mt)
- Truck tipper scraping (\$ 150 / tipper, CEME is not responsible for breakage on trucks);
- Equipment and staff outside opening hours.

### INVOICING AND PAYMENT TERMS

- Opening an account and / or a deposit to the client's account 24-48 hours prior to soil disposal is required.
- Daily billing and weekly bi-monthly or monthly progress billing will be sent to the customer according to agreement.
- The balance in the account must remain at any time greater than the value of the current disposition or the authorized margin.
- The available payment methods are: direct deposit to the account, transfer of funds and check;
- Fees will be payable in advance or upon receipt of the invoice according to the payment terms authorized.
- If applicable, an annual interest fee of 18% will apply for any unpaid balance.
- All collection costs will be borne by the customer.

# **OPERATIONS**

- The opening hours of the CEME are from 7:30 to 16:30.
- The admission of soil to the CEME requires the reception of all the duly completed and signed preliminary documents, a purchase order, an opening of account and prepayment.
- No shipment can be made without first having received the authorization number and the shipping manifests.
- Note that all soil >A also needs to be traced using Attestra (governmental tracing system).
- Attestra's traceability slip full # needs to be indicated in the top right corner of CEME shipping manifest.
- The soil or MRG's quality and the information presented to the manifests and Attestra's traceability slip will be validated at the site.
- Two scales are available on the site for quick and smooth access. All soil travels will be weighed.
- It is mandatory that space for soil reception be reserved by 2pm the day before your arrival by communicating with the site supervisor, Francis Bibeau, at 438-994-7247 or by email at fbibeau@gr-laganiere.com. Site administration reserved the right to refuse Unannounced soils.
- A notice must be given to the site manager to inform him when the last trip will take place.



## SAFETY RULES

- Required personal protective equipment (PPE): long trousers, safety hat, safety boots laced and safety vest.
- Respect the speed limits and the signage of the site.
- CB / radio or cellular communication is allowed hand-free only.
- Wearing a seatbelt is mandatory at all times.
- It is strictly forbidden to be under the influence of drugs or alcohol on the site or you will be dismissed immediately.
- It is forbidden to smoke on the site (exception: Inside of the trucks only).
- The vehicle must have a functional back-up alarm.
- The weather conditions can lead the closing down of the site without notice